

Press Information

Date: 11 February 2014

Roto: Unique appearance at "fensterbau/frontale" / On 1,100 square metres from house to house / A focus on trends and their implementation / Numerous innovations in Hall 1 / Expanded product groups "Tilt&Turn," "Sliding," "Door," and "Equipment" / Hardware configuration tool for door range

"Close to the customer" trade fair

Leinfelden-Echterdingen – (rp) Innovative houses also require innovative window and door technology. Roto expresses this necessity clearly and visually at "fensterbau/frontale". At the stand area in Hall 1, which has been extended to cover 1,100 square metres, the construction supplier announced, prior to the start of the most important industry exhibition, that a number of topics and qualified houses would characterise the new architecture. From 26th to 29th March 2014, the full service provider will be making an appearance and presenting at the Nuremberg event, primarily as a "trend expert and trend setter," and demonstrating to select visitors, both domestic and foreign, the significant evidence in the form of product range and service information. Just as in 2012, the familiar representation can already be seen in the key slogans: "unique appearance" and "close to the customer".

From the product point of view, the company is displaying solutions that basically incorporate three key factors for current and future trends. These factors are energy efficiency, quality of life/ease of operation, and design. These match, as they say, specific developments in the entire window and door technology portfolio. The preview from the manufacturer names a number of specific examples.

The "Tilt&Turn" product range includes additional applications of the successful "NT Designo" programme. Thus, for example, concealed



hinges are now available for triple-sashed, timber, and PVC windows without fixed mullions. The debut is convincing and, among other things, enables simple and efficient installation and hinging system. Further, the aluminium product range has been extended to include sash weights of up to 180 kg. The innovations include "Roto OK" Tilt&Turn hardware for PVC windows of up to 80 kg with a simple connecting-rod design. The quality of this product strengthens the mid-price segment range.

In the "Sliding" product group, an example the company is highlighting is the "Patio Fold" innovation. This hardware for large-scale Fold&Slide systems is suitable for sashes of up to 100 kg, makes room height elements possible, has low-noise and robust rollers and, thanks to the enhanced threshold, secures energy efficiency as well as barrier-free access.

Roto has also announced a wide range of options in the "Door" range. These include, for example, "Safe H 600 AL," a mechanical multi-point locking system for windows and doors made from aluminium and weighing up to 120 kg. The basic lock is to be connected with the "AL 540" hardware and is characterised, among other things, by CE quality, stainless steel faceplate, covered coupling points, and simple assembly. Innovations are also present in the door hinge range: the "Solid S 117NN" is recommended for doors of up to 160 kg, and the "Solid S 80ATB" and "Solid S 120ATB," thanks to direct screw-fixing, do not require additional fixing components.

Caption

At "fensterbau/frontale," Roto is presenting themselves primarily as a "trend expert and trend setter," and supplying specialist domestic and foreign visitors with significant evidence of their position. This applies to their product and service portfolio. The centre of stand architecture



in Hall 1 of the Nuremberg trade fair forms a number of topics and qualified houses. The universal slogan representation: "Close to the Customer".

Photo: Roto

Rendering_Messestand.jpg

Print free – copy requested

Publisher: Roto Frank AG • Wilhelm-Frank-Platz 1 • 70771 Leinfelden-Echterdingen • Germany • Phone +49 711 7598 0 • Fax +49 711 7598 253 • info@roto-frank.com Editor: Linnigpublic Agentur für Öffentlichkeitsarbeit GmbH • Koblenz office • Fritz-von-Unruh-Straße 1 • 56077 Koblenz • Germany • Phone +49 261 303839 0 • Fax +49 261 303839 1 • koblenz@linnigpublic.de